

MathLang

Fairouz Kamareddine
Heriot-Watt University, Edinburgh

Thursday 10 January 2013

What do we want? Open borders for productive collaboration or that we each stick to our borders without including and benefiting from other input?

Do we want war+destruction or solid foundations for wisdom and prosperity?

- Do we believe in the chosen framework? Should all the world believe in the same framework? Does one framework fit all? Can such a framework exist?
- Think of Capitalism, Communism, dictatorship, nationalism, etc... Which one worked in history?
- But then, if we are committed to pluralism, are we in danger of being wiped out because being inclusive may well lead to contradictions?
- Oscar Wilde: I used to think I was indecisive, but now I'm not sure anymore.

Things are not as somber: There is no perfect framework, but some can be invaluable

- De Bruijn used to proudly announce: *I did it my way.*
- I quote Dirk van Dalen: *The Germans have their 3 B's, but we Dutch too have our 3 B's: Beth, Brouwer and de Bruijn.*

There is a fourth B:



They look good together



Is our world going through identity crisis?

Logic was dormant until the 17th century when Leibniz wanted to prove things like the existence of god in a mechanical manner.

But the biggest kick off was in the 19th century, when the *need for a more precise* style in mathematics arose, *because controversial results* had appeared in *analysis*.

- 1821: Many controversies in analysis were solved by Cauchy. E.g., he gave *a precise definition of convergence* in his *Cours d'Analyse* [Cauchy, 1821].
- 1872: Due to the more *exact definition of real numbers* given by Dedekind [Dedekind, 1872], the rules for reasoning with real numbers became even more precise.
- 1895-1897: Cantor began formalizing *set theory* [Cantor, 1895, 1897] and made contributions to *number theory*.

Formal systems in the 19th century symbols (not natural language) define logical concepts

- 1889: *Peano* formalized *arithmetic* [Peano, 1889], but did not treat logic or quantification.
- 1879: *Frege* was not satisfied with the use of *natural language in mathematics*:
“. . . I found *the inadequacy of language to be an obstacle*; no matter how unwieldy the expressions I was ready to accept, I was less and less able, as the relations became more and more complex, to attain the precision that my purpose required.”

(*Begriffsschrift*, Preface)

Frege therefore presented *Begriffsschrift* [Frege, 1879], the first formalisation of logic giving logical concepts via symbols rather than natural language.

The rest is history

- Paradoxes, type theory, set theory, category theory, formalisation of mathematics (Principia, Hilbert and Ackermann, etc., etc.).
- Much is written on this subject. For the type theoretical view, see my book with Laan and Nederpelt.
- The foundational crisis was concurrent with the building of the physical computer.
- Then, the earlier work of Frege, Russell and Whitehead, Hilbert, etc., on the formalisation of mathematics, were now being complemented/replaced in the 1960s by the computerisation of mathematics.
- De Bruijn's Automath and Trybulec's Mizar were conceived around 1967.

And now, more than 100 years since Frege/Principia, and almost 50 years since the start of Automath

- We learned so much. But neither Principia nor Automath are living systems. Instead, there are many other systems out there.
- Can we find ways to combine the best of all these systems? Can we find ways to get more people to be involved in the computerisation/formalisation of mathematics without feeling discouraged by the complexity of one system?
- If we put all in one framework, this framework becomes exclusive.
- We want an open border framework which allows different beliefs.
- I believe in not believing.

A CML-text

From chapter 1, § 2 of E. Landau's *Foundations of Analysis* (Landau 1930, 1951).

Theorem 6. [Commutative Law of Addition]

$$x + y = y + x.$$

Proof Fix y , and let \mathfrak{M} be the set of all x for which the assertion holds.

I) We have

$$y + 1 = y',$$

and furthermore, by the construction in the proof of Theorem 4,

$$1 + y = y',$$

so that

$$1 + y = y + 1$$

and 1 belongs to \mathfrak{M} .

II) If x belongs to \mathfrak{M} , then

$$x + y = y + x,$$

Therefore

$$(x + y)' = (y + x)' = y + x'.$$

By the construction in the proof of Theorem 4, we have

$$x' + y = (x + y)',$$

hence

$$x' + y = y + x',$$

so that x' belongs to \mathfrak{M} . The assertion therefore holds for all x . \square

The problem with formal logic

- No logical language is an alternative to CML
 - A logical language does not have *mathematico-linguistic* categories, is *not universal* to all mathematicians, and is *not a good communication medium*.
 - Logical languages make fixed choices (*first versus higher order, predicative versus impredicative, constructive versus classical, types or sets*, etc.). But different parts of mathematics need different choices and there is no universal agreement as to which is the best formalism.
 - A logician reformulates in logic their *formalization* of a mathematical-text as a formal, complete text which is structured considerably *unlike* the original, and is of little use to the *ordinary* mathematician.
 - Mathematicians do not want to use formal logic and have *for centuries* done mathematics without it.
- *So, mathematicians kept to CML.*
- But CML is difficult to computerise and formalise (either in a logical framework or computer system).

What are the options for computerization?

Computers can handle mathematical text at various levels:

- Images of pages may be stored. While useful, this is not a good representation of *language* or *knowledge*.
- Typesetting systems like LaTeX, TeXmacs, can be used.
- Document representations like OpenMath, OMDoc, MathML, can be used.
- Formal logics used by theorem provers (Coq, Isabelle, HOL, Mizar, Isar, etc.) can be used.

We are gradually developing a system named Mathlang which we hope will eventually allow building a bridge between the latter 3 levels.

This talk aims at discussing the motivations rather than the details.

Full formalization difficulties: choices

A CML-text is structured differently from a fully formalized text proving the same facts. *Making the latter involves extensive knowledge and many choices:*

- The choice of the *underlying logical system*.
- The choice of *how concepts are implemented* (equational reasoning, equivalences and classes, partial functions, induction, etc.).
- The choice of the *formal foundation*: a type theory (dependent?), a set theory (ZF? FM?), a category theory? etc.
- The choice of the *proof checker*: Automath, Isabelle, Coq, PVS, Mizar, HOL, ...

An issue is that one must in general commit to one set of choices.

Full formalization difficulties: informality

Any informal reasoning in a CML-text will cause various problems when fully formalizing it:

- A single (big) step may need to expand into a (series of) syntactic proof expressions. *Very long expressions can replace a clear CML-text.*
- The entire CML-text may need *reformulation* in a fully *complete* syntactic formalism where every detail is spelled out. New details may need to be woven throughout the entire text. The text may need to be *turned inside out*.
- Reasoning may be obscured by *proof tactics*, whose meaning is often *ad hoc* and implementation-dependent.

Regardless, ordinary mathematicians do not find the new text useful.

	draft documents	X
Coq example	public documents	X
	computations and proofs	✓

From Module Arith.Plus of Coq standard library (<http://coq.inria.fr/>).

Lemma `plus_sym`: $(n,m:\text{nat}) (n+m)=(m+n)$.

Proof.

`Intros` n m ; `Elim` n ; `Simpl_rew` ; `Auto` with arith.

`Intros` y H ; `Elim` (`plus_n_Sm` m y) ; `Simpl_rew` ; `Auto` with arith.

Qed.

Mathlang's Goal: Open borders between mathematics, logic and computation

- Ordinary mathematicians *avoid* formal mathematical logic.
- Ordinary mathematicians *avoid* proof checking (via a computer).
- Ordinary mathematicians *may use* a computer for computation: there are over 1 million people who use Mathematica (including linguists, engineers, etc.).
- Mathematicians may also use other computer forms like Maple, LaTeX, etc.
- But we are not interested in only *libraries* or *computation* or *text editing*.
- We want *freedom of movement* between mathematics, logic and computation.
- At every stage, we must have *the choice* of the level of formality and the depth of computation.

Aim for Mathlang? (Kamareddine and Wells 2001, 2002)


Can we formalise a mathematical text, avoiding as much as possible the ambiguities of natural language, while still guaranteeing the following four goals?

1. The formalised text looks very much like the original mathematical text (and hence the content of the original mathematical text is respected).
2. The formalised text can be fully manipulated and searched in ways that respect its mathematical structure and meaning.
3. Steps can be made to do computation (via computer algebra systems) and proof checking (via proof checkers) on the formalised text.
4. This formalisation of text is not much harder for the ordinary mathematician than \LaTeX . *Full formalization down to a foundation of mathematics is not required*, although allowing and supporting this is one goal.

(No theorem prover's language satisfies these goals.)


	draft documents	✓
Mathlang	public documents	✓
	computations and proofs	✓

- A Mathlang text captures different aspects (grammatical, textual, reasoning, etc., allowing degrees of computer manipulation).
- A *weak type system* checks Mathlang documents at a *grammatical level*.
- A *rewrite system* allows the *textual manipulation* of documents.
- The Mathlang document can be checked for *structural reasoning* (no loops in reasoning, etc.) before the inclusion of any logic.
- The MathLang document can be *completed to a fully formalised text* in a choice of provers (so far: Coq, Mizar and Isabelle) using semi-automated tools.
- As far as possible, the Mathlang text remains *close* to its CML original, allowing confidence that the CML has been captured correctly.
- The formal structure should be suitable for various automated uses.



What is CGa? (Maarek's PhD thesis)

- CGa is a formal language derived from MV (N.G. de Bruijn 1987) and WTT (Kamareddine and Nederpelt 2004) which aims at expliciting the grammatical role played by the elements of a CML text.
- The structures and common concepts used in CML are captured by CGa with a finite set of grammatical/linguistic/syntactic categories: *Term* " $\sqrt{2}$ ", *set* " \mathbb{Q} ", *noun* "number", *adjective* "even", *statement* " $a = b$ ", *declaration* "Let a be a number", *definition* "An even number is..", *step* " a is odd, hence $a \neq 0$ ", *context* "Assume a is even".



- Generally, each syntactic category has a corresponding *weak type*.

- CGa's type system derives typing judgments to check whether the reasoning parts of a document are coherently built.
- There is an element 0 in R such that $a + 0 = a$.




Figure 1: Example of CGa encoding of CML text

Weak Type Theory

In Weak Type Theory (or W_{TT}) we have the following linguistic categories:

- On the *atomic* level: *variables*, *constants* and *binders*,
- On the *phrase* level: *terms* \mathcal{T} , *sets* \mathcal{S} , *nouns* \mathcal{N} and *adjectives* \mathcal{A} ,
- On the *sentence* level: *statements* \mathcal{P} and *definitions* \mathcal{D} ,
- On the *discourse* level: *contexts* \mathbb{I} , *lines* \mathbb{L} and *books* \mathbb{B} .

Categories of syntax of WTT

Other category	abstract syntax	symbol
<i>expressions</i>	$\mathcal{E} = T \mathcal{S} \mathcal{N} P$	E
<i>parameters</i>	$\mathcal{P} = T \mathcal{S} P$ (note: $\vec{\mathcal{P}}$ is a list of \mathcal{P} s)	P
<i>typings</i>	$\mathbf{T} = \mathcal{S} : \text{SET} \mathcal{S} : \text{STAT} T : \mathcal{S} T : \mathcal{N} T : \mathcal{A}$	T
<i>declarations</i>	$\mathcal{Z} = \mathbf{V}^S : \text{SET} \mathbf{V}^P : \text{STAT} \mathbf{V}^T : \mathcal{S} \mathbf{V}^T : \mathcal{N}$	Z

level	category	abstract syntax	symbol
atomic	<i>variables</i>	$V = V^T V^S V^P$	x
	<i>constants</i>	$C = C^T C^S C^N C^A C^P$	c
	<i>binders</i>	$B = B^T B^S B^N B^A B^P$	b
phrase	<i>terms</i>	$T = C^T(\vec{\mathcal{P}}) B_Z^T(\mathcal{E}) V^T$	t
	<i>sets</i>	$S = C^S(\vec{\mathcal{P}}) B_Z^S(\mathcal{E}) V^S$	s
	<i>nouns</i>	$\mathcal{N} = C^N(\vec{\mathcal{P}}) B_Z^N(\mathcal{E}) \mathcal{AN}$	n
	<i>adjectives</i>	$\mathcal{A} = C^A(\vec{\mathcal{P}}) B_Z^A(\mathcal{E})$	a
sentence	<i>statements</i>	$P = C^P(\vec{\mathcal{P}}) B_Z^P(\mathcal{E}) V^P$	S
	<i>definitions</i>	$\mathcal{D} = \mathcal{D}^\varphi \mathcal{D}^P$ $\mathcal{D}^\varphi = C^T(\vec{V}) := T C^S(\vec{V}) := S $ $\quad C^N(\vec{V}) := \mathcal{N} C^A(\vec{V}) := \mathcal{A}$ $\mathcal{D}^P = C^P(\vec{V}) := P$	D
discourse	<i>contexts</i>	$\mathbf{\Gamma} = \emptyset \mathbf{\Gamma}, \mathcal{Z} \mathbf{\Gamma}, P$	Γ
	<i>lines</i>	$\mathbf{l} = \mathbf{\Gamma} \triangleright P \mathbf{\Gamma} \triangleright \mathcal{D}$	l
	<i>books</i>	$\mathbf{B} = \emptyset \mathbf{B} \circ \mathbf{l}$	B

Derivation rules

- (1) B is a weakly well-typed book: $\vdash B :: \text{book}$.
- (2) Γ is a weakly well-typed context relative to book B : $B \vdash \Gamma :: \text{cont}$.
- (3) t is a weakly well-typed term, etc., relative to book B and context Γ :

$$\begin{array}{lll} B; \Gamma \vdash t :: T, & B; \Gamma \vdash s :: S, & B; \Gamma \vdash n :: N, \\ B; \Gamma \vdash a :: A, & B; \Gamma \vdash p :: P, & B; \Gamma \vdash d :: D \end{array}$$

$OK(B; \Gamma)$. stands for: $\vdash B :: \text{book}$, *and* $B \vdash \Gamma :: \text{cont}$

Examples of derivation rules

- $\text{dvar}(\emptyset) = \emptyset$ $\text{dvar}(\Gamma', x : W) = \text{dvar}(\Gamma'), x$ $\text{dvar}(\Gamma', P) = \text{dvar}(\Gamma')$

$$\frac{OK(B; \Gamma), \quad x \in V^{T/S/P}, \quad x \in \text{dvar}(\Gamma)}{B; \Gamma \vdash x :: T/S/P} \quad (\text{var})$$

$$\frac{B; \Gamma \vdash n :: N, \quad B; \Gamma \vdash a :: A}{B; \Gamma \vdash an :: N} \quad (\text{adj-noun})$$

$$\frac{}{\vdash \emptyset :: \text{book}} \quad (\text{emp-book})$$

$$\frac{B; \Gamma \vdash p :: P}{\vdash B \circ \Gamma \triangleright p :: \text{book}}$$

$$\frac{B; \Gamma \vdash d :: D}{\vdash B \circ \Gamma \triangleright d :: \text{book}} \quad (\text{book-ext})$$

Properties of WTT

- *Every variable is declared* If $B; \Gamma \vdash \Phi :: \mathbf{W}$ then $FV(\Phi) \subseteq \text{dvar}(\Gamma)$.
- *Correct subcontexts* If $B \vdash \Gamma :: \text{cont}$ and $\Gamma' \subseteq \Gamma$ then $B \vdash \Gamma' :: \text{cont}$.
- *Correct subbooks* If $\vdash B :: \text{book}$ and $B' \subseteq B$ then $\vdash B' :: \text{book}$.
- *Free constants are either declared in book or in contexts* If $B; \Gamma \vdash \Phi :: \mathbf{W}$, then $FC(\Phi) \subseteq \text{prefcons}(B) \cup \text{defcons}(B)$.
- *Types are unique* If $B; \Gamma \vdash A :: \mathbf{W}_1$ and $B; \Gamma \vdash A :: \mathbf{W}_2$, then $\mathbf{W}_1 \equiv \mathbf{W}_2$.
- *Weak type checking is decidable* there is a decision procedure for the question $B; \Gamma \vdash \Phi :: \mathbf{W} ?$.
- *Weak typability is computable* there is a procedure deciding whether an answer exists for $B; \Gamma \vdash \Phi :: ?$ and if so, delivering the answer.

Definition unfolding

- Let $\vdash B :: \text{book}$ and $\Gamma \triangleright c(x_1, \dots, x_n) := \Phi$ a line in B .
- We write $B \vdash c(P_1, \dots, P_n) \xrightarrow{\delta} \Phi[x_i := P_i]$.
- *Church-Rosser* If $B \vdash \Phi \xrightarrow{\delta} \Phi_1$ and $B \vdash \Phi \xrightarrow{\delta} \Phi_2$ then there exists Φ_3 such that $B \vdash \Phi_1 \xrightarrow{\delta} \Phi_3$ and $B \vdash \Phi_2 \xrightarrow{\delta} \Phi_3$.
- *Strong Normalisation* Let $\vdash B :: \text{book}$. For all subformulas Ψ occurring in B , relation $\xrightarrow{\delta}$ is strongly normalizing (i.e., definition unfolding inside a well-typed book is a well-founded procedure).

CGa Weak Type Checking

Let \mathcal{M} be a set ,

y and x are natural numbers ,

if x belongs to \mathcal{M}

then $x + y = y + x$

CGa Weak Type checking detects grammatical errors

Let \mathcal{M} be a set ,


y and x are natural numbers ,

if x belongs to \mathcal{M}

then $x + y$ \Leftarrow error

How complete is the CGa?

- CGa is quite advanced but remains under development according to new translations of mathematical texts. Are the current CGa categories sufficient?
- The metatheory of WTT has been established in (Kamareddine and Nederepelt 2004). That of CGa remains to be established. However, since CGa is quite similar to WTT, its metatheory might be similar to that of WTT.
- The type checker for CGa works well and gives some useful error messages. Error messages should be improved.



What is TSa? Lamar's PhD thesis

- TSa builds the bridge between a CML text and its grammatical interpretation and adjoins to each CGa expression a string of words and/or symbols which aims to act as its CML representation.
- *TSa plays the role of a user interface*
- *TSa can flexibly represent natural language mathematics.*
- The author wraps the natural language text with boxes representing the grammatical categories (as we saw before).
- *The author can also give interpretations to the parts of the text.*

Interpretations

There is 0 an element 0 in \mathbb{R} R such that eq plus a + 0 = a .

{ 0 : \mathbb{R} ; eq (plus (a , 0), a); }


There is 0 an element 0 in \mathbb{R} R such that eq plus a + 0 = a .

There is 0 an element 0 in \mathbb{R} R such that eq plus a + 0 equals a .

0 \in \mathbb{R} , eq plus a + 0 = a .

Rewrite rules enable natural language representation

Take the example $0 + a0 = a0 = a(0 + 0) = a0 + a0$








Figure 2: Example for a simple shared souring

reordering/position Sourcing









Figure 3: Example for a position souring

map souring




This is expanded to





How complete is TSa?

- TSa provides useful interface facilities but it is still under development.
- So far, only simple rewrite (sourcing) rules are used and they are not comprehensive. E.g., unable to cope with things like $\overbrace{x = \dots = x}^{n \text{ times}}$.
- The TSa theory and metatheory need development.



What is DRa? Retel's PhD thesis

- DRa Document Rhetorical structure aspect.
- **Structural components of a document** like *chapter, section, subsection, etc.*
- **Mathematical components of a document** like *theorem, corollary, definition, proof, etc.*
- **Relations** between above components.
- These enhance readability, and ease the navigation of a document.
- Also, these help to go into more formal versions of the document.

Relations

Description
<i>Instances of the StructuralRhetoricalRole class:</i> preamble, part, chapter, section, paragraph, <i>etc.</i>
<i>Instances of the MathematicalRhetoricalRole class:</i> lemma, corollary, theorem, conjecture, definition, axiom, claim, proposition, assertion, proof, exercise, example, problem, solution, <i>etc.</i>
Relation
<i>Types of relations:</i> relatesTo, uses, justifies, subpartOf, inconsistentWith, exemplifies

What does the mathematician do?

- The mathematician wraps into boxes and uniquely names chunks of text
- The mathematician assigns to each box the structural and/or mathematical rhetorical roles
- The mathematician indicates the relations between wrapped chunks of texts

Lemma 1. For $m, n \in \mathbb{N}$ one has: $m^2 = 2n^2 \implies m = n = 0$.

Define on \mathbb{N} the predicate:

$$P(m) \iff \exists n. m^2 = 2n^2 \ \& \ m > 0.$$

Claim. $P(m) \implies \exists m' < m. P(m')$. Indeed suppose $m^2 = 2n^2$ and $m > 0$. It follows that m^2 is even, but then m must be even, as odds square to odds. So $m = 2k$ and we have

$$2n^2 = m^2 = 4k^2 \implies n^2 = 2k^2$$

Since $m > 0$, it follows that $m^2 > 0, n^2 > 0$ and $n > 0$. Therefore $P(n)$. Moreover, $m^2 = n^2 + n^2 > n^2$, so $m^2 > n^2$ and hence $m > n$. So we can take $m' = n$.

By the claim $\forall m \in \mathbb{N}. \neg P(m)$, since there are no infinite descending sequences of natural numbers.

Now suppose $m^2 = 2n^2$ with $m \neq 0$. Then $m > 0$ and hence $P(m)$. Contradiction. Therefore $m = 0$. But then also $n = 0$.

Corollary 1. $\sqrt{2} \notin \mathbb{Q}$.

Suppose $\sqrt{2} \in \mathbb{Q}$, i.e. $\sqrt{2} = p/q$ with $p \in \mathbb{Z}, q \in \mathbb{Z} - \{0\}$. Then $\sqrt{2} = m/n$ with $m = |p|, n = |q| \neq 0$. It follows that $m^2 = 2n^2$. But then $n = 0$ by the lemma.

Contradiction shows that $\sqrt{2} \notin \mathbb{Q}$.

Lemma 1.

For $m, n \in \mathbb{N}$ one has: $m^2 = 2n^2 \implies n = 0$

Proof.

Define on \mathbb{N} the predicate:

$$P(m) \iff \exists n. m^2 = 2n^2 \ \& \ m > 0.$$

Claim. $P(m) \implies \exists m' < m. P(m')$.

Indeed suppose $m^2 = 2n^2$ and $m > 0$. It follows that m^2 is even, but then m must be even, as odds squared are odd. So $m = 2k$ and we have $2n^2 = m^2 = 4k^2 \implies n^2 = 2k^2$. Since $m > 0$, it follows that $m^2 > 0, n^2 > 0$ and $n > 0$. Therefore $P(n)$. Moreover, $m^2 = n^2 + n^2 > n^2$, so $m^2 > n^2$ and hence $m > n$. So we can take $m' = n$.

By the claim $\forall m \in \mathbb{N}. \neg P(m)$, since there are no infinite descending sequences of natural numbers.

Now suppose $m^2 = 2n^2$

with $m \neq 0$. Then $m > 0$ and hence $P(m)$. Contradiction.

Therefore $m = 0$. But then also $n = 0$. \square

Corollary 1. $\sqrt{2} \notin \mathbb{Q}$

Proof. Suppose $\sqrt{2} \in \mathbb{Q}$, i.e. $\sqrt{2} = p/q$ with $p \in \mathbb{Z}, q \in \mathbb{Z} - \{0\}$. Then $\sqrt{2} = m/n$ with $m = |p|, n = |q| \neq 0$. It follows that $m^2 = 2n^2$. But then $n = 0$ by the lemma. Contradiction shows that $\sqrt{2} \notin \mathbb{Q}$. \square

(*A*, hasMathematicalRhetoricalRole, *lemma*)
(*E*, hasMathematicalRhetoricalRole, *definition*)
(*F*, hasMathematicalRhetoricalRole, *claim*)
(*G*, hasMathematicalRhetoricalRole, *proof*)
(*B*, hasMathematicalRhetoricalRole, *proof*)
(*H*, hasOtherMathematicalRhetoricalRole, *case*)
(*I*, hasOtherMathematicalRhetoricalRole, *case*)
(*C*, hasMathematicalRhetoricalRole, *corollary*)
(*D*, hasMathematicalRhetoricalRole, *proof*)

(*B*, justifies, *A*)
(*D*, justifies, *C*)
(*D*, uses, *A*)
(*G*, uses, *E*)
(*F*, uses, *E*)
(*H*, uses, *E*)
(*H*, subpartOf, *B*)
(*H*, subpartOf, *I*)

Lemma 1.

For $m, n \in \mathbb{N}$ one has: $m^2 = 2n^2 \implies m = n = 0$

Proof.

Define on \mathbb{N} the predicate:

$$P(m) \text{ uses } \exists n. m^2 = 2n^2 \ \& \ m > 0.$$

Claim. $P(m) \implies \exists m' < m. P(m').$

Indeed suppose $m^2 = 2n^2$ and $m > 0$. It follows that m^2 is even, but then m must be even, n^2 is odd, so n is odd. So $m = 2k$ and we have $2n^2 = m^2 = 4k^2 \implies n^2 = 2k^2$. Since $m > 0$, it follows that $m^2 > 0, n^2 > 0$ and $n > 0$. Therefore $P(n)$. Moreover, $m^2 = n^2 + n^2 > n^2$, so $m^2 > n^2$ and hence $m > n$. So we can take $m' = n$.

By the claim $\forall m \in \mathbb{N}. \neg P(m)$, since there are no descending sequences of natural numbers.

Now suppose $m^2 = 2n^2$

FOMCAF13

with $m \neq 0$. Then $m > 0$ and hence $P(m)$. Contradiction.

justifies

uses

justifies

uses


uses

subpartOf
subpartOf


H

The automatically generated dependency Graph

Dependency Graph (DG)



An alternative view of the DRa (Zengler's thesis)




The Graph of Textual Order: GoTO

Zengler's thesis

- To be able to examine the proper structure of a DRa tree we introduce the concept of textual order between two nodes in the tree.
- Using textual orders, we can transform the dependency graph into a GoTO by transforming each edge of the DG.
- So far there are two reasons why the GoTO is produced:
 1. Automatic Checking of the GoTO can reveal errors in the document (e.g. loops in the structure of the document).
 2. The GoTO is used to automatically produce a proof skeleton for a prover (we use a variety: Isabelle, Mizar, Coq).
- We automatically transform a DG into GoTO and automatically check the GoTO for errors in the document:


1. Loops in the GoTO (error)
2. Proof of an unproved node (error)
3. More than one proof for a proved node (warning)
4. Missing proof for a proved node (warning)

Graph of Textual Order for the DRa tree example



How complete is DRa?

- The dependency graph can be used to check whether the logical reasoning of the text is coherent and consistent (e.g., no loops in the reasoning).
- However, both the DRa language and its implementation need more experience driven tests on natural language texts.
- Also, the DRa aspect still needs a number of implementation improvements (the automation of the analysis of the text based on its DRa features).
- Extend TSa to also cover DRa (in addition to CGa).
- Extend DRa depending on further experience driven translations.
- Establish the soundness and completeness of DRa for mathematical texts.



Different provers have

- different syntax
- different requirements to the structure of the text
e.g.
 - no nested theorems/lemmas
 - only backward references
 - ...
- Aim: Skeleton should be as close as possible to the mathematician's text but with re-arrangements when necessary

Example of nested theorems/lemmas (Moller, 03, Chapter III,2)

Definition 1

Definition 2

Theorem 1

Proof of Theorem 1


Theorem 2

Lemma 1


Proof of Lemma 1

Proof of Theorem 2


The automatic generation of a proof skeleton




The DG for the example




Straight-forward translation of the first part




Solution: Re-ordering



Skeleton for Mizar



DRa annotation into Mizar skeleton for Barendregt's example (Retel's PhD thesis)





The generic algorithm for generating the proof skeleton (SGa, Zengler's thesis)

A vertex is ready to be processed iff:

- it has no incoming \prec edges (in the GoTO) of unprocessed (white) vertices
- all its children are ready to be processed
- if the vertex is a proved vertex: its proof is ready to be processed

Consider the DG and GoTO of a (typical and not well structured) mathematical text:



The final order of the vertices is:

Lemma 2

Proof 2

Definition 2

Claim 2

Proof C2

Lemma 1

Proof 1

Definition 1

Claim 1

Proof C1




Figure 6: A flattened graph of the GoTO of figure 5 without nested definitions











Figure 7: A flattened graph of the GoTO of figure 5 without nested claims



The Mizar and Coq rules for the dictionary

Role	Mizar rule	Coq rule
axiom	<code>%name : %body ;</code>	<code>Axiom %name : %body .</code>
definition	<code>definition %name : %nl %body %nl end;</code>	<code>Definition : %body .</code>
theorem	<code>theorem %name: %nl %body</code>	<code>Theorem %name %body .</code>
proof	<code>proof %nl %body %nl end;</code>	<code>Proof %name : %body .</code>
cases	<code>per cases; %nl</code>	<code>%body</code>
case	<code>suppose %nl %body %nl end;</code>	<code>%body</code>
existencePart	<code>existence %nl %body</code>	<code>%body</code>
uniquenessPart	<code>uniqueness %nl %body</code>	<code>%body</code>


Rich skeletons for Coq

Rule N^0	Annotation ann	Coq translation $\mathcal{S}_{Coq}(ann)$
coq1)	<#>	Set
coq2)	<#>	Prop
coq3)	<div style="display: inline-block; border: 1px solid blue; background-color: lightblue; padding: 2px 5px;"><id></div> <div style="display: inline-block; border: 1px solid orange; background-color: orange; padding: 2px 5px; margin-left: 10px;"><N></div>	$id : N$
coq4)	<div style="display: inline-block; border: 1px solid blue; background-color: lightblue; padding: 2px 5px;"><id></div> <div style="display: inline-block; border: 1px solid red; background-color: red; padding: 2px 5px; margin-left: 10px;"><S></div>	$id : S$
coq5)	<div style="border: 1px solid blue; background-color: lightblue; padding: 2px 5px; display: inline-block;"><id></div>	id
coq6)	<div style="border: 1px solid blue; background-color: lightblue; padding: 5px; display: inline-block;"> <div style="border: 1px solid black; background-color: white; padding: 2px 5px; display: inline-block;"><id></div> <div style="display: inline-block; margin: 0 5px;"> <div style="border: 1px solid black; background-color: white; padding: 2px 5px; display: inline-block;">p_1</div> <div style="margin: 0 5px;">...</div> <div style="border: 1px solid black; background-color: white; padding: 2px 5px; display: inline-block;">p_n</div> </div> <div style="display: inline-block; border: 1px solid orange; background-color: orange; padding: 2px 5px; margin-left: 10px;"><N></div> </div>	$id : \mathcal{S}_{Coq} \left(\boxed{p_1} \right) \rightarrow \dots \rightarrow \mathcal{S}_{Coq} \left(\boxed{p_n} \right) \rightarrow N$
coq7)	<div style="border: 1px solid blue; background-color: lightblue; padding: 5px; display: inline-block;"> <div style="border: 1px solid black; background-color: white; padding: 2px 5px; display: inline-block;"><id></div> <div style="display: inline-block; margin: 0 5px;"> <div style="border: 1px solid black; background-color: white; padding: 2px 5px; display: inline-block;">p_1</div> <div style="margin: 0 5px;">...</div> <div style="border: 1px solid black; background-color: white; padding: 2px 5px; display: inline-block;">p_n</div> </div> <div style="display: inline-block; border: 1px solid red; background-color: red; padding: 2px 5px; margin-left: 10px;"><S></div> </div>	$id : \mathcal{S}_{Coq} \left(\boxed{p_1} \right) \rightarrow \dots \rightarrow \mathcal{S}_{Coq} \left(\boxed{p_n} \right) \rightarrow S$

coq8)		$id : \mathcal{S}_{Coq} \left(\boxed{p_1} \right) \rightarrow \dots \rightarrow \mathcal{S}_{Coq} \left(\boxed{p_n} \right) \rightarrow \text{Prop}$
coq9)		$id : \mathcal{S}_{Coq} \left(\boxed{p_1} \right) \rightarrow \dots \rightarrow \mathcal{S}_{Coq} \left(\boxed{p_n} \right) \rightarrow \text{Set}$
coq10)		$(id \mathcal{S}_{Coq} \left(\boxed{p_1} \right) \dots \mathcal{S}_{Coq} \left(\boxed{p_n} \right))$
coq11)		$(id \mathcal{S}_{Coq} \left(\boxed{p_1} \right) \dots \mathcal{S}_{Coq} \left(\boxed{p_n} \right))$
coq12)		$(id \mathcal{S}_{Coq} \left(\boxed{p_1} \right) \dots \mathcal{S}_{Coq} \left(\boxed{p_n} \right))$
coq13)		id
coq14)		$id \ id_1 \ \dots \ id_n := \mathcal{S}_{Coq} \left(\boxed{e} \right)$

coq15)	 <p>for a surrounding unproved <i>DRa</i> annotation</p>	$\text{forall } \mathcal{S}_{Coq} \left(\langle d_1 \rangle \right) \dots \mathcal{S}_{Coq} \left(\langle d_n \rangle \right)$ $\dots \wedge \mathcal{S}_{Coq} \left(S_n \right) \rightarrow \mathcal{S}_{Coq} \left(S'_1 \right)$
coq16)	 <p>for a surrounding proved <i>DRa</i> annotation</p>	$\mathcal{S}_{Coq} \left(\langle d_1 \rangle \right) \dots \mathcal{S}_{Coq} \left(\langle d_n \rangle \right)$ $\wedge \mathcal{S}_{Coq} \left(S_n \right) \rightarrow \mathcal{S}_{Coq} \left(S'_1 \right) /$

With these rules almost every axiom, definition and theorem can be translated in a way that it is immediately usable in Coq.



the left hand side of the definition is translated according to rule (coq14)) with subset A B.

The right hand side is translated with the rules coq5), coq10), coq11) and coq12) and the result is

forall x (impl (in x A) (in x B))

Putting left hand and right hand side together and taking the outer DRa annotation we get the translation

Definition subset A B := forall x (impl (in x A) (in x B))

`<theorem><th117>`

`<Th117>`

Theorem 1.

`<x>` `<y>` `<z>` *If*

`<leq><x>x ≤ <y>y, <leq><y>y ≤ <z>z,`

then


`<leq><x>x ≤ <z>z.`

Figure 8: Theorem 17 of Landau's "Grundlagen der Analysis"

The automatic translation is:

Theorem th117 $x y z : (\text{leq } x y \wedge \text{leq } y z) \rightarrow \text{leq } x z .$

Rich skeletons for Isabelle



The corresponding translation into Isabelle is:

```
assumes carriernonempty: "not (set-equal R emptyset)"
```

An example of a full formalisation in Coq via MathLang




Figure 9: The path for processing the Landau chapter

<Th16>

Theorem 1.6. COMMUTATIVE LAW OF ADDITION 

$$\text{<eq>plus<x>x + <y>y = plus<y>y + <x>x.}$$

Figure 10: Simple theorem of the second section of Landau's first chapter

<Th116>

Theorem 1.16.

<>

<><x> <><y> <><z> *If*

<or><and><leq><x> $x \leq y$, <lt><y> $y < z$, OR <and><lt><x> $x < y$, <leq><y> $y \leq z$,


then

<lt><x> $x < z$.

Figure 11: The annotated theorem 16 of the Landau's first chapter

Chapter 1

Natural Numbers



1.1 Axioms

We assume the following to be given:

$\exists A$ set (i.e. totality) of objects called natural_numbers natural numbers, possessing the properties - called axioms- to be listed below.

Before formulating the axioms we make some remarks about the symbols $=$ and \neq which be used.

Unless otherwise specified, small italic letters will stand for natural numbers throughout this book.

If x is given and y is given, then either x and y are the same number; this may be written

$$x = y$$

($=$ to be read "equals"); or x and y are not the same number; this may be written

$$x \neq y$$

(\neq to be read "is not equal to").

Accordingly, the following are true on purely logical grounds:

$\forall x, y$ for every x, y

If $x = y$ then $y = x$

If $x = y$ and $y = z$ then $x = z$

Chapter 1 of Landau:

- 5 axioms which we annotate with the mathematical role “axiom”, and give them the names “ax11” - “ax15”.
- 6 definitions which we annotate with the mathematical role “definition”, and give them names “def11” - “def16”.
- 36 nodes with the mathematical role “theorem”, named “th11” - “th136” and with proofs “pr11” - “pr136”.
- Some proofs are partitioned into an existential part and a uniqueness part.
- Other proofs consist of different cases which we annotate as unproved nodes with the mathematical role “case”.




Figure 12: The DRa tree of sections 1 and 2 of chapter 1 of Landau’s book

- The relations are annotated in a straightforward manner.
- Each proof *justifies* its corresponding theorem.
- Axiom 5 (“ax15”) is the axiom of induction. So every proof which uses induction, *uses* also this axiom.
- Definition 1 (“def11”) is the definition of addition. Hence every node which uses addition also *uses* this definition.
- Some theorems *use* other theorems via texts like: “By Theorem ...”.
- In total we have 36 *justifies* relations, 154 *uses* relations, 6 *caseOf*, 3 *existencePartOf* and 3 *uniquenessPartOf* relations.
- The DG and GoTO are automatically generated.
- The GoTO is automatically checked and no errors result. So, we proceed to the next stage: automatically generating the SGa.




Figure 13: The DG of sections 1 and 2 of chapter 1 of Landau's book

The GoTO of section 1 - 4

An extract of the automatically generated rich skeleton

Definition geq x y := (or (gt x y) (eq x y)).

Definition leq x y := (or (lt x y) (eq x y)).

Theorem th113 x y : (impl (geq x y) (leq y x)).

Proof.

...

Qed.

Theorem th114 x y : (impl (leq x y) (geq y x)).

Proof.

...

Qed.

Theorem th115 x y z : (impl (impl (lt x y) (lt y z)) (lt x z)).

Proof.

...

Qed.

Completing the proofs in Coq

- We defined the natural numbers as an inductive set - just as Landau does in his book.

```
Inductive nats : Set :=  
  | I : nats  
  | succ : nats -> nats
```

- The encoding of theorem 2 of the first chapter in Coq is

```
theorem th12 x : neq (succ x) x .
```

- Landau proves this theorem with induction. He first shows, that $1' \neq 1$ and then that with the assumption of $x' \neq x$ it also holds that $(x')' \neq x'$.
- We do our proof in the Landau style. We introduce the variable x and eliminate it, which yields two subgoals that we need to prove. These subgoals are exactly the induction basis and the induction step.

Proof.

intro x. elim x.

2 subgoals

x : nats

----- (1/2)
neq (succ I) I}

----- (1/2)
forall n : nats, neq (succ n) n -> neq (succ (succ n)) (succ n)

Landau proved the first case with the help of Axiom 3 (for all $x, x' \neq 1$).

apply ax13.

1 subgoal

x : nats

----- (1/2)
forall n : nats, neq (succ n) n -> neq (succ (succ n)) (succ n)

The next step is to introduce n as natural number and to introduce the induction hypothesis:

```
intros n H.
```

```
1 subgoal
```

```
x : nats
```

```
n : nats
```

```
H : neq (succ n) n
```

```
----- (1/1)  
neq (succ (succ n)) (succ n)
```

We see that this is exactly the second case of Landau's proof. He proved this case with Theorem 1 - we do the same:

```
apply th11.
```

```
1 subgoal
```

```
x : nats
```

```
n : nats
```

```
H : neq (succ n) n
----- (1/1)
neq (succ n) n
```

And of course this is exactly the induction hypotheses which we already have as an assumption and we can finish the proof:

```
assumption.
```

```
Proof completed.
```

The complete theorem and its proof in Coq finally look like this:

```
Theorem th12 (x:nats) : neq (succ x) x .
```

```
Proof.
```

```
intro x. elim x.
```

```
apply ax13.
```

```
intros n H.
```

```
apply th11.
```

```
assumption.
```

```
Qed.
```

With the help of the CGa annotations and the automatically generated rich proof skeleton, Zengler (who was not familiar with Coq) completed the Coq proofs of the whole of chapter one in a couple of hours.

Some points to consider

- We do not at all assume/prefer one type/logical theory instead of another.
- The formalisation of a language of mathematics should separate the questions:
 - *which type/logical theory is necessary for which part of mathematics*
 - *which language should mathematics be written in.*
- MathLang is independent of any foundation of mathematics.
- Instead of English, one can use Arabic, French, German, etc.
- MathLang aims to support non-fully-formalized mathematics practiced by the ordinary mathematician as well as work toward full formalization.
- MathLang aims to handle mathematics as expressed in natural language as well as symbolic formulas.
- MathLang allows anyone to be involved, whether a mathematician, a computer engineer, a computer scientist, a linguist, a logician, etc.

Bibliography

- G. Cantor. Beiträge zur Begründung der transfiniten Mengenlehre (Erster Artikel). *Mathematische Annalen*, 46: 481–512, 1895.
- G. Cantor. Beiträge zur Begründung der transfiniten Mengenlehre (Zweiter Artikel). *Mathematische Annalen*, 49: 207–246, 1897.
- A.-L. Cauchy. *Cours d'Analyse de l'Ecole Royale Polytechnique*. Debure, Paris, 1821. Also as *Œuvres Complètes* (2), volume III, Gauthier-Villars, Paris, 1897.
- A. Church. A formulation of the simple theory of types. *The Journal of Symbolic Logic*, 5:56–68, 1940.
- R. Dedekind. *Stetigkeit und irrationale Zahlen*. Vieweg & Sohn, Braunschweig, 1872.
- G. Frege. *Grundgesetze der Arithmetik, begriffsschriftlich abgeleitet*, volume II. Pohle, Jena, 1903. Reprinted 1962 (Olms, Hildesheim).
- G. Frege. *Begriffsschrift, eine der arithmetischen nachgebildete Formelsprache des reinen Denkens*. Nebert, Halle, 1879. Also in [?], pages 1–82.

G. Frege. *Grundgesetze der Arithmetik, begriffsschriftlich abgeleitet*, volume I. Pohle, Jena, 1892. Reprinted 1962 (Olms, Hildesheim).

J.-Y. Girard. *Interprétation fonctionnelle et élimination des coupures dans l'arithmétique d'ordre supérieur*. PhD thesis, Université Paris VII, 1972.

D. Hilbert and W. Ackermann. *Grundzüge der Theoretischen Logik*. Die Grundlehren der Mathematischen Wissenschaften in Einzeldarstellungen, Band XXVII. Springer Verlag, Berlin, first edition, 1928.

G. Peano. *Arithmetices principia, nova methodo exposita*. Bocca, Turin, 1889. English translation in [?], pages 83–97.

F.P. Ramsey. The foundations of mathematics. *Proceedings of the London Mathematical Society*, 2nd series, 25: 338–384, 1926.

J.C. Reynolds. *Towards a theory of type structure*, volume 19 of *Lecture Notes in Computer Science*, pages 408–425. Springer, 1974.

B. Russell. Letter to Frege. English translation in [?], pages 124–125, 1902.

B. Russell. *The Principles of Mathematics*. Allen & Unwin, London, 1903.

A.N. Whitehead and B. Russell. *Principia Mathematica*, volume I, II, III. Cambridge University Press, 1910¹, 1927². All references are to the first volume, unless otherwise stated.